






















1.4

DECORATIVE PROFILE

Designed for different building structure (ceilings, wall under corner, inside corner, outside corner, etc) it perfectly explains the combination and the artistic conception of light and space.




A modern office interior featuring a long, narrow hallway with a light-colored, marble-patterned floor. The ceiling is white with recessed LED lighting profiles. On the left, there is a white reception desk with a dark blue panel featuring the letters 'W' and a horizontal line. In the background, there are glass-walled offices and a blue armchair. The overall atmosphere is clean, professional, and well-lit.

DECORATIVE LED Profile


Designed for different building structure.(ceilings, wall under corner, inside corner, outside corner, etc) it perfectly explains the combination and the artistic conception of light and space.








Model: LD1896/LD1896B New




SIZE



Silver
 Black
 White (RAL9016)

Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	8W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	8 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting

INSTALLATION




COVER	Trans/Opal/Diffuser	17072/17073/17074	
COVER	Black	1707R	
END CAP	Hole W/O hole	18968/18969	
END CAP	Hole W/O hole	18968/18969	


APPLICATION



CONNECTION DIAGRAM



LIGHTING SOURCE




Model: LD4550 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	8W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	8 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting




SIZE



INSTALLATION



APPLICATION



COVER	Trans/Opal/Diffuser	26282/26283 /26284	
COVER	Black	2628B	
END CAP	Hole W/O hole	45508/45509	
CONNECTOR		S-90-1	
CONNECTOR		S-90-2	
CONNECTOR		S-180	

LIGHTING SOURCE



DECORATIVE PROFILE


Model: LD1146B New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	28.8W/m
Input voltage:	24VDC
Lamp beads:	240LEDs/m [2835]
Lighting source width:	10 mm x2pcs
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting Artistic design/ Creative design



SIZE



INSTALLATION




DECORATIVE PROFILE

COVER	Trans/Opal/Diffuser	17072/17073 /17074	
COVER	Black	1707B	
END CAP	Hole W/O hole	1146B8/1146B9	

APPLICATION



LIGHTING SOURCE




Model: LD9646B New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	14.4 W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	10 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting Artistic design/ Creative design



SIZE



INSTALLATION




COVER	Trans/Opal/Diffuser	17072/17073/17074	
COVER	Black	1707B	
END CAP	Hole W/O hole	9646B8/9646B9	

APPLICATION



LIGHTING SOURCE



DECORATIVE PROFILE

Model: LD5414 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	8W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	8 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting




Silver
 Black
 White (ra19016)

SIZE



INSTALLATION




DECORATIVE PROFILE

COVER	Trans/Opal/Diffuser	54142/54143 /54144	
COVER	Black	5414B	
END CAP	Hole W/O hole	54148/54149	

APPLICATION




LIGHTING SOURCE




Model: LD4937 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	14.4W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	8 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE




INSTALLATION




DECORATIVE PROFILE

APPLICATION



COVER	Trans/Opal/Diffuser	49372/49373 /49374	
COVER	Black	4937B	
END CAP	Hole W/O hole	49378/49379	
MOUNTING CLIP AB		4937S	

LIGHTING SOURCE




Model: LD3545 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	8W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	18 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE



INSTALLATION




DECORATIVE PROFILE

APPLICATION





COVER	Trans/Opal/Diffuser	30202/30203/30204	
COVER	Black	3020B	
END CAP	Hole W/O hole	35458/35459	

LIGHTING SOURCE




CONNECTION DIAGRAM

CONNECTOR 6214 - 180°




CONNECTION DIAGRAM

CONNECTOR 6214 - 90°-1




RELATED PRODUCTS


LD8820



LD9820




LD11820




Model: LD8820 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	20W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	28 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE



INSTALLATION




DECORATIVE PROFILE

APPLICATION





COVER	Diffuser	35354	
COVER	Black	3535B	
END CAP	Hole W/O hole	88208/88209	

LIGHTING SOURCE





CONNECTION DIAGRAM

CONNECTOR 6214 - 180°




CONNECTION DIAGRAM

CONNECTOR 6214 - 90°-1




CONNECTION DIAGRAM

CONNECTOR 6214 - 90°-2




CONNECTION DIAGRAM

CONNECTOR 6214 - 90°-2




RELATED PRODUCTS


LD3545



LD9820




LD11820




Model: LD9820 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	30W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	18 mmX2
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE




INSTALLATION




DECORATIVE PROFILE

APPLICATION





COVER	Trans/Opal/Diffuser	50352/50353 /50354	
COVER	Black	5035B	
END CAP	Hole W/O hole	98208/98209	

LIGHTING SOURCE




CONNECTION DIAGRAM

CONNECTOR 6214 - 180°




CONNECTION DIAGRAM

CONNECTOR 6214 - 90°-1




CONNECTION DIAGRAM

CONNECTOR 6214 - 90°-2




CONNECTION DIAGRAM

CONNECTOR 6214 - 90°-2




RELATED PRODUCTS


LD3545



LD8820




LD11820




Model: LD11820 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	30W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	18 mmX2
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE



INSTALLATION




DECORATIVE PROFILE

APPLICATION





COVER	Diffuser	72724	
COVER	Black	7272B	
END CAP	Hole W/O hole	118208/118209	

LIGHTING SOURCE




CONNECTION DIAGRAM

CONNECTOR 6214 - 180°



CONNECTION DIAGRAM

CONNECTOR 6214 - 90°-1



CONNECTION DIAGRAM

CONNECTOR 6214 - 90°-2




CONNECTION DIAGRAM

CONNECTOR 6214 - 90°-2




RELATED PRODUCTS


LD3545



LD8820




LD9820




Model: LD12249 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	20W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	8 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE




INSTALLATION



COVER	Trans/Opal/Diffuser	17072/17073/17074	
COVER	Black	1707B	
END CAP	Hole W/O hole	122498/122499	

APPLICATION




LIGHTING SOURCE




Model: LD17373 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	20W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	8 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE




INSTALLATION



COVER	Trans/Opal/Diffuser	17072/17073 /17074	
COVER	Black	1707B	
END CAP	Hole W/O hole	173738/173739	

DECORATIVE PROFILE

APPLICATION



CONNECTION DIAGRAM


LIGHTING SOURCE




Model: *LT5315* New



Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	14.4W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	8 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE




INSTALLATION



DECORATIVE PROFILE

APPLICATION



COVER	Trans/Opal/Diffuser	10132/10133/10134	
COVER	Black	1013B	
END CAP	Hole W/O hole	53158/53159	


LIGHTING SOURCE



Model: *LT6020B* New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal
Power:	14.4W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	8 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



Silver
 Black
 White (ra9016)

SIZE






INSTALLATION



DECORATIVE PROFILE

APPLICATION



COVER	Trans/Opal/Diffuser	60202/60203/60204	
COVER	Black	6020B	
END CAP	Hole W/O hole	60208/60209	


LIGHTING SOURCE




Model: LD4716 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	14.4W/m
Input voltage:	24VDC
Lamp beads:	156LEDs/m (2835)
Lighting source width:	10 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE



INSTALLATION



APPLICATION



COVER	Trans/Opal/Diffuser	17072/17073 /17074	
COVER	Black	1707B	
END CAP	Hole W/O hole	47168/47169	


LIGHTING SOURCE




Model: LD5452 New



Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	14.4W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	10 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE



INSTALLATION



APPLICATION



COVER	Trans/Opal/Diffuser	54522/54523 /54524	
COVER	Black	5452B	

LIGHTING SOURCE




DECORATIVE PROFILE


Model: LD6316 New




Material:	AL6063-T5
Surface:	Anodized/ Painting
PC cover:	Diffuser /Transparent /Opal/Black
Power:	14.4W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	10 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting




SIZE



INSTALLATION



APPLICATION



COVER	Trans/Opal/Diffuser	17072/17073 /17074	
COVER	Black	1707B	


LIGHTING SOURCE




Model: LD6316A New




Material:	AL6063-T5
Surface:	Anodized/ Painting
Power:	14.4W/m
Input voltage:	24VDC
Lamp beads:	120LEDs/m (2835)
Lighting source width:	10 mm
Available lengths:	0.5-3m
Application:	Commercial lighting / Indoor lighting



SIZE



INSTALLATION



DECORATIVE PROFILE

APPLICATION



LIGHTING SOURCE

