

Aluminum / SUS316




IK07 SLR 1000kg DC 24V



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0041</b>	2W	211lm	18°/22.2°/24.9°/32.9°	Integrated

Light distribution




IK08 SLR 1000kg DC 24V



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0042</b>	4W	374lm	11.9°/16.0°/23.2°/31.5°	Integrated

Light distribution




IK09 SLR 2000kg DC 24V



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0043</b>	6.3W	580lm	15.7°/27.1°/37.8°	Integrated

Light distribution





IK09 SLR 2000kg AC 24V



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0043H</b>	6.3W	580lm	15.7°/27.1°/37.8°	Integrated

Light distribution






Aluminum / SUS316




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0041A</b>	2W	211lm	16.9°/20.8°/22.6°/27.8°	Integrated

Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0042A</b>	4W	374lm	11.6°/15.3°/21.2°/27.4°	Integrated

Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0043A</b>	6.3W	580lm	15.1°/25.0°/33.7°	Integrated

Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0043AH</b>	6.3W	580lm	15.1°/25.0°/33.7°	Integrated

Light distribution






Aluminum / SUS316




IK09 SLR 2000kg DC 24V

Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0043W</b>	8.2W	651lm	15°×(10-100°)	Integrated





IK09 SLR 2000kg DC 24V

Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0043WH</b>	6W	503lm	15°×(10-100°)	Integrated




IK09 SLR 2000kg DC 24V


Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0044B</b>	6W	503lm	26.9°×41.7°	Integrated



IK09 SLR 2000kg AC 24V

Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0044BH</b>	8.2W	651lm	31.5°×44°	Integrated






Aluminum / SUS316




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0012BS</b>	8.2W	651lm	8.2°	Integrated
<b>FU-0012BST</b>	8.2W	651lm	8.2°	Triac controllable
<b>FU-0012B</b>	12W	1446lm	19.5°/35°/45°	Integrated
<b>FU-0012BT</b>	12W	1446lm	19.5°/35°/45°	Triac controllable
<b>FU-0012BF</b>	8.4W	1075lm	19.5°/35°/45°	1-10V controllable
<b>FU-0012BD</b>	8.4W	1075lm	19.5°/35°/45°	DALI controllable



Light distribution




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0013</b>	24.2W	3192lm	18.7°/32.7°/53°	Integrated
<b>FU-0013T</b>	24.2W	3192lm	18.7°/32.7°/53°	Triac controllable
<b>FU-0013F</b>	20.5W	2790lm	18.7°/32.7°/53°	1-10V controllable
<b>FU-0013D</b>	20.5W	2790lm	18.7°/32.7°/53°	DALI controllable

Light distribution






Aluminum / SUS316




Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0022S</b>	8.2W	651lm	8.2°	Integrated
<b>FU-0022ST</b>	8.2W	651lm	8.2°	Triac controllable
<b>FU-0022</b>	8.4W	1075lm	19.4°/35.7°/45.5°	Integrated
<b>FU-0022T</b>	8.4W	1075lm	19.4°/35.7°/45.5°	Triac controllable
<b>FU-0022F</b>	8.4W	1075lm	19.4°/35.7°/45.5°	1-10V controllable
<b>FU-0022D</b>	8.4W	1075lm	19.4°/35.7°/45.5°	DALI controllable


Light distribution



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0023S</b>	13.4W	1207lm	8.9°	Integrated
<b>FU-0023ST</b>	13.4W	1207lm	8.9°	Triac controllable
<b>FU-0023SF</b>	13.4W	1207lm	8.9°	1-10V controllable
<b>FU-0023SD</b>	13.4W	1207lm	8.9°	DALI controllable
<b>FU-0023</b>	16.8W	2371lm	23.2°/38.2°/46.7°	Integrated
<b>FU-0023T</b>	15W	2154lm	23.2°/38.2°/46.7°	Triac controllable
<b>FU-0023F</b>	15W	2154lm	23.2°/38.2°/46.7°	1-10V controllable
<b>FU-0023D</b>	15W	2154lm	23.2°/38.2°/46.7°	DALI controllable

Light distribution






Aluminum / SUS316



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0032B</b>	13.9W	1160lm	70.5°×52.4°	Integrated
<b>FU-0032BT</b>	11.5W	1006lm	70.5°×52.4°	Triac controllable
<b>FU-0032BF</b>	7.8W	748lm	70.5°×52.4°	1-10V controllable
<b>FU-0032BD</b>	7.8W	748lm	70.5°×52.4°	DALI controllable



Model	LED	CCT 3000K	Lens	Power supply unit
<b>FU-0033</b>	24.7W	1955 m	79.2°×51.9°	Integrated
<b>FU-0033T</b>	20.9W	1741lm	79.2°×51.9°	Triac controllable
<b>FU-0033F</b>	19W	1628lm	79.2°×51.9°	1-10V controllable
<b>FU-0033D</b>	19W	1628lm	79.2°×51.9°	DALI controllable

